STORMWATER CONTROL PLAN for [NAME OF PROJECT]

[date]

[This template is to be used in conjunction with the instructions, criteria, and minimum requirements in the Contra Costa Clean Water Program Stormwater C.3 Guidebook, 9thEdition.

The contents and level of detail required for a Stormwater Control Plan varies with project characteristics. Check with local staff regarding requirements for your project.

Check the Contra Costa Clean Water Program website at http://www.cccleanwater.org/new-development-c-3/ for new information and updates to the Guidebook and this template.]

[Name of Owner] [Owner's Representative and Contact Information]

prepared by:

[Preparer's Name] [Preparer's Contact Information]

TABLE OF CONTENTS

Ι.	Project Data [Complete the following table and include in Stormwater Control Plan.]				
п.	Setting				
	II.A.	Project Location and Description	.2		
	II.B.	Existing Site Features and Conditions	.2		
	II.C.	Opportunities and Constraints for Stormwater Control	.2		
ш.	Low	mpact Development Design Strategies	2		
	III.A. Optimization of Site Layout				
		III.A.1. Limitation of development envelope 3			
		III.A.2. Preservation of natural drainage features 3			
		III.A.3. Setbacks from creeks, wetlands, and riparian habitats 3			
		III.A.4. Minimization of imperviousness 3			
		III.A.5. Use of drainage as a design element 3			
	III.B.	Use of Permeable Pavements	.3		
	III.C.	Dispersal of Runoff to Pervious Areas	.3		
	III.D.	Bioretention or other Integrated Management Practices			
IV.	Documentation of Drainage Design3				
	IV.A.	Descriptions of each Drainage Management Area			
		IV.A.1. Table of Drainage Management Areas 3			
		IV.A.2. Drainage Management Area Descriptions 3			
	IV.B. Integrated Management Practice Descriptions				
		IV.B.1. Areas Draining to Non-LID Treatment ["Special Projects" only—See Table 3-8, p. 55 4			
	IV.C.	Tabulation and Sizing Calculations	.4		
v.	Sourc	ce Control Measures	4		
	V.A.	Site activities and potential sources of pollutants	.4		
	V.B.	Source Control Table			
	V.C.	Features, Materials, and Methods of Construction of Source Control BMPs	.4		
VI.	Storn	nwater Facility Maintenance	5		
	VI.A.	Ownership and Responsibility for Maintenance in Perpetuity	. 5		
	VI.B.	Summary of Maintenance Requirements for Each Stormwater Facility			
VII.	Cons	truction Plan C.3 Checklist			
		fications			
~ * * * *			-		

Tables

Table 1. Project Data	х
Table x. Non-LID Treatment Measures	`x
Table x. Sources and Source Control Measures	х
Table x. Construction Plan C.3 Checklist	х

Figures

Vicinity Map x

Attachments

Stormwater Control Plan Exhibit IMP Sizing Calculator Output

Appendix

HM Compliance [if applicable]

This Stormwater Control Plan was prepared using the template dated 20 March 2024.

I. **PROJECT DATA** [Complete the following table and include in Stormwater Control Plan.]

Table 1. Project Data

Project Name/Number	
Application Submittal Date	[to be verified by municipal staff per 14 CCR §15060]
Project Location	[Provide both APN and street address if available]
Name of Developer	
Project Phase No.	[If project is being constructed in phases, indicate the phase number. If not, enter "NA"]
Project Type and Description	[Example entries: "5-story office building," "Residential with 160 single-family homes with five 4-story buildings to contain 200 condominiums," "100-unit, 2-story shopping mall," "mixed use retail and residential development (apartments)", "Industrial warehouse."]
Project Watershed	[Request from municipal staff]
Total Project Site Area (acres)	
Total Area of Land Disturbed (acres)	
Total New Impervious Surface Area (sq. ft.)	
Total Replaced Impervious Surface Area	[See instructions in section entitled "Project Data" in Chapter 2 of the <i>Guidebook</i> 9th Edition.]
Total Pre-Project Impervious Surface Area	
Total Post-Project Impervious Surface Area	
50% Rule[*]	[Applies or Doesn't Apply]
Project Density	[State Dwelling Unit/Acre and/or Floor Area Ratio.
Applicable Special Project Categories [Complete even if all treatment is LID]	[State A, B, C, or none. If "C", state basis for location credits, density, and parking credits.]
Percent LID and non-LID treatment	[State totals for project and provide details under "Documentation of Drainage Design."]
HM Compliance [†]	[State "applies," or state "exempt" and explain reason for exemption. See "Hydromodification Management Requirements – Exemptions" section in Chapter 1 of the <i>Guidebook</i> 9 th Edition.]

[*50% rule applies if:

Total Replaced Impervious Surface Area > 0.5 x Pre-Project Impervious Surface Area]

[†HM required (unless project meets one of the exemptions in *Guidebook Chapter 1 – Hydromodification* Management Requirements – Exemptions) if:

(Total New Impervious Surface Area + Total Replaced Impervious Surface Area) \geq 1 acre]

II. SETTING

[See instructions in Chapter 2 section entitled "Setting" of the Guidebook.]

II.A. Project Location and Description

[Include site location, division of parcels, planned land uses, zoning, setback and open space requirements, project phasing, number of residential units or square footage of office or retail, parking requirements, neighborhood character, project design objectives (for example LEED certification), other notable project characteristics. Include a vicinity map.]

II.B. Existing Site Features and Conditions

[Include site size, shape, and topography. Hydrologic features, including any contiguous natural areas, wetlands, watercourses, seeps, or springs. Existing land uses. Soil types and hydrologic soil groups, depth to groundwater, vegetative cover, and impervious areas, if any. Existing drainage for site and nearby areas, including location of municipal storm drains.]

II.C. Opportunities and Constraints for Stormwater Control

[Examples of constraints: impermeable soils, high groundwater, groundwater pollution or contaminated soils, steep slopes, geotechnical instability, density/high-intensity land use, heavy pedestrian or vehicular traffic, utility locations, safety concerns.]

[Examples of opportunities: Existing natural areas, low areas, oddly configured or otherwise unbuildable areas, easements and required landscape amenities including open space and buffers that might be used for bioretention facilities, and differences in elevation, which can provide needed hydraulic head.]

III. LOW IMPACT DEVELOPMENT DESIGN STRATEGIES

[See *Guidebook* Chapter 2 section entitled "Low Impact Development Design Strategies" and chapter 3 "Low Impact Development Site Design Guide". Review each of the strategies and describe here how each has been incorporated into your project. Not every strategy applies to every project; if a strategy doesn't apply, state the reason.]

III.A. Optimization of Site Layout

[In a narrative, address the points in each of the subheadings to the level of detail appropriate for your project. Subheadings may be used or omitted.]

- III.A.1. Limitation of development envelope
- III.A.2. Preservation of natural drainage features
- III.A.3. Setbacks from creeks, wetlands, and riparian habitats
- III.A.4. Minimization of imperviousness
- III.A.5. Use of drainage as a design element

III.B. Use of Permeable Pavements

III.C. Dispersal of Runoff to Pervious Areas

III.D. Bioretention or other Integrated Management Practices

[See the guidance, *Guidebook* subsection "Direct Runoff to Bioretention or Other IMPs" in Chapter 3, for siting and designing bioretention facilities. Describe how the facilities in your project have been designed to be consistent with this guidance. In addition, ensure your stormwater control design is fully coordinated with the site plan, grading plan, and landscaping plan being proposed for the site. See *Guidebook* chapter 4.]

IV. DOCUMENTATION OF DRAINAGE DESIGN

IV.A. Descriptions of each Drainage Management Area

IV.A.1. Table of Drainage Management Areas

Table x. Drainage Management Areas

DMA Name Area (SF) Surface Type/Description

DMA Type/Drains to

IV.A.2. Drainage Management Area Descriptions

DMA [name], totaling x,xxx square feet, drains [description of area]. DMA [name] drains to [Self-Retaining DMA name or IMP name]. [Describe notable or exceptional characteristics or conditions.]

DMA [name], totaling x,xxx square feet, drains [description of area]. DMA [name] drains to [Self-Retaining DMA name or IMP name]. [Describe notable or exceptional characteristics or conditions.]

DMA [name], totaling x,xxx square feet, drains [description of area]. DMA [name] drains to [Self-Retaining DMA name or IMP name]. [Describe notable or exceptional characteristics or conditions.]

DMA [name], totaling x,xxx square feet, drains [description of area]. DMA [name] drains to [Self-Retaining DMA name or IMP name]. [Describe notable or exceptional characteristics or conditions.]

[For DMAs draining to non-LID treatment systems, include a description of the uses of all impervious paved areas, and for landscaped areas, a description of the technical constraints preventing their use as LID IMPs. Also include a narrative discussion of the infeasibility of offsite treatment.]

IV.B. Integrated Management Practice Descriptions

[Include a description of the facilities, including design criteria. See the design sheets in *Guidebook* Chapter 4. Describe any special or notable features or design characteristics. Include a sketch showing key elevations if necessary to demonstrate sufficient hydraulic head.]

IV.B.1. Areas Draining to Non-LID Treatment ["Special Projects" only—See Guidebook Chapter 3 section entitled "Non-LID Treatment – Special Projects]

Table x. Areas Draining to Non-LID Treatment

DMA Name	Area (square feet)	Non-LID Treatment System	Minimum Design Criteria Referenced

IV.C. Tabulation and Sizing Calculations

[Attach and reference output from the IMP Sizing Calculator.]

V. SOURCE CONTROL MEASURES

V.A. Site activities and potential sources of pollutants

V.B. Source Control Table

Table x. Source Controls

[See the instructions in section entitled "Source Control Measures" in Chapter 2 of the Guidebook and the checklist in Appendix D.]

Potential source of runoff pollutants	Permanent source control BMPs	Operational source control BMPs

V.C. Features, Materials, and Methods of Construction of Source Control BMPs

VI. STORMWATER FACILITY MAINTENANCE

VI.A. Ownership and Responsibility for Maintenance in Perpetuity

[Include (1) a commitment to execute any necessary agreements and/or annex into a fee mechanism, per local requirements, and (2) a statement accepting responsibility for operation and maintenance of facilities until that responsibility is formally transferred.]

VI.B. Summary of Maintenance Requirements for Each Stormwater Facility

[For guidance on what to include in this section, see the Operation and Maintenance Fact Sheet at http://www.cccleanwater.org/stormwater-c-3-guidebook/]

VII. CONSTRUCTION PLAN C.3 CHECKLIST

[See the instructions in the section entitled "Construction Plan C.3 Checklist in Chapter 2 of the Guidebook. Number and list each measure or BMP you have specified in your Stormwater Control Plan in Columns 1 and 2 of the table. Leave Column 3 blank. When you submit grading and improvement plans for engineering review, duplicate this table on those plans, with Column 3 also completed. Also, before completing your Plan and accompanying exhibit, perform another check to ensure your stormwater control design is fully coordinated with the site plan, grading plan, and landscaping plan being proposed for the site. Identify any conflicts with codes and requirements, or other obstacles to implementing the Plan as submitted. See section entitled Construction Plan C.3 Checklist in Chapter 2 of the *Guidebook*.]

Table x. Construction Plan C.3 Checklist

Stormwater		
Control		
Plan		
Page #	BMP Description	
0	1	

See Plan Sheet #s

VIII. CERTIFICATIONS

The selection, sizing, and preliminary design of stormwater treatment and other control measures in this plan meet the requirements of Regional Water Quality Control Board Order R2-2015-0049.

[Check with local staff regarding other certification requirements.]

By

Print Name